



Farm, Horticulture and Garden Equipment



## Rotostone type RSE-PLUS with roller.

For tractors from 150 to 240 HP



### Standard Equipment

- 3-Point linkage cat. 2°-3°.
- Single speed gearbox with 1000 rpm PTO.
- Side gears drive in oil bath
- 4 blades each flange type Rotostone.
- Double frame made with special steel IMEX 700.
- Adjustable and self-cleaned selection grill.
- Rear bonnet adjustment with adjustable manual jacks.
- Rear perforated metal roller Ø 600 mm.
- Pin and hole adjustment roller.
- Side Cardan shaft with discs clutch
- Central cardan shaft direct 1" 3/8 Z 6.
- <CE> Safety guards.

RSE-PLUS									
Type	cm	cm	mm	N°	rph (rotor)	Hp	mm	Kg	cm
250 RSE-PLUS	250	290	540	48/72	260	150-160	600	1890	15/35
270 RSE-PLUS	270	310	540	52/78	260	150-180	600	1960	15/35
300 RSE-PLUS	300	340	540	60/90	260	160-180	600	2050	15/35
320 RSE-PLUS	320	360	540	64/96	260	160-200	600	2130	15/35
360 RSE-PLUS	360	400	540	72/108	260	180-220	600	2350	15/35
*400 RSE-PLUS	400	440	540	80/120	260	200-240	600	2500	15/35

\* Disponibile su richiesta - Available only on requested







Farm, Horticulture and Garden Equipment




## Prices

Type	Price €uro with rear roller in perforated metal Ø 600 mm	Price €uro with rear packer roller Ø 550 mm
250 RSE-PLUS		
270 RSE-PLUS		
300 RSE-PLUS		
320 RSE-PLUS		
360 RSE-PLUS		
400 RSE-PLUS		



1.




2.




3.



4.



5.



6.



7.

## Accessories

## Price €uro

- 1) Front disc conveyor ploughs
- 2) Hydraulic displacement of the roller.
- 3) Hydraulic roller adjustment with 2 hydraulic cylinders.
- 4) Front sous soiler
- 5) Hydraulic seeder connection with 2 cylinders (heavy duty type).
- 6) Overprice for double flanges each.
- 7) Overprice for Frangiter rotor.





Farm, Horticulture and Garden Equipment



Rotostone type RSE-PLUS.2  
with rear roller.

For tractor from 130 to 280 HP


www.massanosnc.com



### Standard Equipment

- 3-Point linkage cat. 2°-3°.
- Single speed gearbox with 540-1000 rpm PTO.
- Double transmission by gears.
- Central support bearing.
- 4 blades each flange type Rotostone.
- Double frame made with special steel IMEX 700.
- Adjustable and self- cleaned selection grill.
- Rear bonnet adjustment with adjustable manual jacks.
- Rear perforated metal roller Ø 600 mm.
- Pin and hole adjustment roller.
- Side Cardan shaft with 4 discs clutch.
- Central cardan shaft direct 1" 3/8 Z 6.
- <CE> Safety guards.

RSE PLUS.2									
Type	cm	cm	mm	N°	rpm (rotor)	Hp	mm	Kg	cm
340 RSE-PLUS.2	340	380	540	64/96	300	130-150	480	2380	15/30
360 RSE-PLUS.2	360	400	540	72/108	300	130-160	480	2830	15/30
420 RSE-PLUS.2	420	460	540	80/120	300	160-180	600	3050	15/30
460 RSE-PLUS.2	460	500	540	88/132	300	160-200	600	3200	15/30
500 RSE-PLUS.2	500	540	540	96/144	330	200-220	600	3560	15/30
540 RSE-PLUS.2	540	580	540	104/166	330	220-240	600	3710	15/30
600 RSE-PLUS.2	600	640	540	120/180	330	240-280	600	3900	15/30



Gears transmission



Central House bearing





**MASSANO**

Farm, Horticulture and Garden Equipment




## Prices

Type	Price Euro with rear roller in perforated metal Ø 480 mm	Price Euro with rear roller in perforated metal Ø 600 mm	Price Euro with rear packer roller Ø 550 mm
340 RSE-PLUS.2 – 3 GEARS DRIVE			
360 RSE-PLUS.2 – 3 GEARS DRIVE			
420 RSE-PLUS.2 – 3 GEARS DRIVE			
460 RSE-PLUS.2 – 3 GEARS DRIVE			
500 RSE-PLUS.2 – 3 GEARS DRIVE			
540 RSE-PLUS.2 – 4 GEARS DRIVE			
600 RSE-PLUS.2 – 4 GEARS DRIVE			



1.




2.




3.



4.



5.



6.



7.



8.



9.

## Accessories

Price Euro

- 1) Front disc conveyor ploughs
- 2) Displacement hydraulic roller.
- 3) Hydraulic roller adjustment with 2 hydraulic cylinders.
- 4) Front sous soiler
- 5) Overprice for heavy duty 4 gears drive + Big gearboxes 390 HP 1000 rpm
- 6) Hydraulic seeder connection (heavy duty type)
- 7) Overprice for double flanges each.
- 8) Overprice for Frangiter rotor.
- 9) Overprice for 2 side automatic shafts W 2500 – For transmission 3 gears drive.
- 10) Overprice for 2 side automatic shafts W 2600 – For transmission 4 gears drive.
- 11) Deduct price for side double transmission by chain 1" 3/4 ASA 140 HE.