



MM. INS.      MM. INS.

	MM. INS.										FORWARD SPEED TO ROTATE UNIT AT 25 RPM					
	12	24	48	72	96	120	144	MAX KPH	MAX MPH							
22T	215.21	8.47	107.61	4.24	53.80	2.12	35.87	1.41	26.90	1.06	21.52	0.85	17.93	0.71	3.87	2.41
21T	229.56	9.04	114.78	4.52	57.39	2.26	38.26	1.51	28.69	1.13	22.96	0.90	19.13	0.75	4.13	2.57
20T	243.91	9.60	121.95	4.80	60.98	2.40	40.65	1.60	30.49	1.20	24.39	0.96	20.33	0.80	4.39	2.73
19T	258.25	10.17	129.13	5.08	64.56	2.54	43.04	1.69	32.28	1.27	25.83	1.02	21.52	0.85	4.65	2.89
18T	272.60	10.73	136.30	5.37	68.15	2.68	45.43	1.79	34.08	1.34	27.26	1.07	22.72	0.89	4.91	3.05
17T	286.95	11.30	143.47	5.65	71.74	2.82	47.82	1.88	35.87	1.41	28.69	1.13	23.91	0.94	5.16	3.21
16T	301.30	11.86	150.65	5.93	75.32	2.97	50.22	1.98	37.66	1.48	30.13	1.19	25.11	0.99	5.42	3.37
15T	315.64	12.43	157.82	6.21	78.91	3.11	52.61	2.07	39.46	1.55	31.56	1.24	26.30	1.04	5.68	3.53
14T	324.08	12.76	162.04	6.38	81.02	3.19	54.01	2.13	40.51	1.59	32.41	1.28	27.01	1.06	5.83	3.62
13T	344.34	13.56	172.17	6.78	86.08	3.39	57.39	2.26	43.04	1.69	34.43	1.36	28.69	1.13	6.20	3.85
12T	364.59	14.35	182.30	7.18	91.15	3.59	60.77	2.39	45.57	1.79	36.46	1.44	30.38	1.20	6.56	4.08
11T	384.85	15.15	192.42	7.58	96.21	3.79	64.14	2.53	48.11	1.89	38.48	1.52	32.07	1.26	6.93	4.30
10T	405.10	15.95	202.55	7.97	101.28	3.99	67.52	2.66	50.64	1.99	40.51	1.59	33.76	1.33	7.29	4.53
9T	425.36	16.75	212.68	8.37	106.34	4.19	70.89	2.79	53.17	2.09	42.54	1.67	35.45	1.40	7.66	4.76
8T	445.61	17.54	222.81	8.77	111.40	4.39	74.27	2.92	55.70	2.19	44.56	1.75	37.13	1.46	8.02	4.98
7T	397.31	15.64	198.66	7.82	99.33	3.91	66.22	2.61	49.66	1.96	39.73	1.56	33.11	1.30	7.15	4.44
6T	450.29	17.73	225.14	8.86	112.57	4.43	75.05	2.95	56.29	2.22	45.03	1.77	37.52	1.48	8.10	5.04
5T	476.78	18.77	238.39	9.39	119.19	4.69	79.46	3.13	59.60	2.35	47.68	1.88	39.73	1.56	8.58	5.33
4T	503.26	19.81	251.63	9.91	125.82	4.95	83.88	3.30	62.91	2.48	50.33	1.98	41.94	1.65	9.06	5.63
3T	529.75	20.86	264.88	10.43	132.44	5.21	88.29	3.48	66.22	2.61	52.98	2.09	44.15	1.74	9.53	5.92
2T	556.24	21.90	278.12	10.95	139.06	5.47	92.71	3.65	69.53	2.74	55.62	2.19	46.35	1.82	10.01	6.22
1T	582.73	22.94	291.36	11.47	145.68	5.74	97.12	3.82	72.84	2.87	58.27	2.29	48.56	1.91	10.49	6.52
1/2T	469.55	18.49	234.78	9.24	117.39	4.62	78.26	3.08	58.69	2.31	46.96	1.85	39.13	1.54	8.45	5.25
1/3T	563.46	22.18	281.73	11.09	140.87	5.55	93.91	3.70	70.43	2.77	56.35	2.22	46.96	1.85	10.14	6.30
1/4T	594.77	23.42	297.38	11.71	148.69	5.85	99.13	3.90	74.35	2.93	59.48	2.34	49.56	1.95	10.70	6.65
1/5T	626.07	24.65	313.03	12.32	156.52	6.16	104.34	4.11	78.26	3.08	62.61	2.46	52.17	2.05	11.27	7.00
1/6T	657.37	25.88	328.69	12.94	164.34	6.47	109.56	4.31	82.17	3.24	65.74	2.59	54.78	2.16	11.83	7.35
1/7T	688.68	27.11	344.34	13.56	172.17	6.78	114.78	4.52	86.08	3.39	68.87	2.71	57.39	2.26	12.39	7.70

22T  
21T  
20T  
19T  
18T  
17T  
16T  
15T



24T 17T 13T 11T

MM. INS.

MM. INS.

FORWARD  
SPEED  
TO ROTATE  
UNIT AT  
25 RPM

	12	24	48	72	96	120	144	MAX KPH	MAX MPH							
24/15	358.69	14.12	179.34	7.06	89.67	3.53	59.78	2.35	44.84	1.77	35.87	1.41	29.89	1.18	6.46	4.01
24/16	382.60	15.06	191.30	7.53	95.65	3.77	63.77	2.51	47.82	1.88	38.26	1.51	31.88	1.26	6.89	4.28
24/17	406.51	16.00	203.26	8.00	101.63	4.00	67.75	2.67	50.71	2.00	40.65	1.60	33.88	1.33	7.32	4.55
24/18	430.42	16.95	215.21	8.47	107.61	4.24	71.74	2.82	53.80	2.12	43.04	1.69	35.87	1.41	7.75	4.81
24/19	454.34	17.89	227.17	8.94	113.58	4.47	75.72	2.98	56.79	2.24	45.43	1.79	37.86	1.49	8.18	5.08
24/20	478.25	18.83	239.12	9.41	119.56	4.71	79.71	3.14	59.78	2.35	47.82	1.88	39.85	1.57	8.61	5.35
24/21	502.16	19.77	251.08	9.89	125.54	4.94	83.69	3.30	62.77	2.47	50.22	1.98	41.85	1.65	9.04	5.62
24/22	526.07	20.71	263.04	10.36	131.52	5.18	87.68	3.45	65.76	2.59	52.61	2.07	43.84	1.73	9.47	5.88
17/16	540.14	21.27	270.07	10.63	135.03	5.32	90.02	3.54	67.52	2.66	54.01	2.13	45.01	1.77	9.72	6.04
17/17	573.90	22.59	286.95	11.30	143.47	5.65	95.65	3.77	71.74	2.82	57.39	2.26	47.82	1.88	10.33	6.42
17/18	607.66	23.92	303.83	11.96	151.91	5.98	101.28	3.99	75.96	2.99	60.77	2.39	50.64	1.99	10.94	6.80
17/19	641.41	25.25	320.71	12.63	160.35	6.31	106.90	4.21	80.18	3.16	64.14	2.53	53.45	2.10	11.54	7.17
17/20	675.17	26.58	337.59	13.29	168.79	6.65	112.53	4.43	84.40	3.32	67.52	2.66	56.26	2.22	12.15	7.55
17/21	708.93	27.91	354.47	13.96	177.23	6.98	118.16	4.65	88.62	3.49	70.89	2.79	59.08	2.33	12.76	7.93
17/22	742.69	29.24	371.35	14.62	185.67	7.31	123.78	4.87	92.84	3.65	74.27	2.92	61.89	2.44	13.37	8.31
13/15	662.19	26.07	331.09	13.04	165.55	6.52	110.36	4.35	82.77	3.26	66.22	2.61	55.18	2.17	11.92	7.41
13/17	750.48	29.55	375.24	14.77	187.62	7.39	125.08	4.92	93.81	3.69	75.05	2.95	62.54	2.46	13.51	8.39
13/18	794.63	31.28	397.31	15.64	198.66	7.82	132.44	5.21	99.33	3.91	79.46	3.13	66.22	2.61	14.30	8.89
13/19	838.77	33.02	419.39	16.51	209.69	8.26	139.80	5.50	104.85	4.13	83.88	3.30	69.90	2.75	15.10	9.38
13/20	882.92	34.76	441.46	17.38	220.73	8.69	147.15	5.79	110.36	4.35	88.29	3.48	73.58	2.90	15.89	9.87
13/21	927.06	36.50	463.53	18.25	231.77	9.12	154.51	6.08	115.88	4.56	92.71	3.65	77.26	3.04	16.69	10.37
13/22	971.21	38.24	485.61	19.12	242.80	9.56	161.87	6.37	121.40	4.78	97.12	3.82	80.93	3.19	17.48	10.86
11/15	782.59	30.81	391.29	15.41	195.65	7.70	130.43	5.14	97.82	3.85	78.26	3.08	65.22	2.57	14.08	8.75
11/18	939.10	36.97	469.55	18.49	234.78	9.24	156.52	6.16	117.39	4.62	93.91	3.70	78.26	3.08	16.90	10.50
11/19	991.28	39.03	495.64	19.51	247.82	9.76	165.21	6.50	123.91	4.88	99.13	3.90	82.61	3.25	17.84	11.09
11/20	1043.45	41.08	521.72	20.54	260.86	10.27	173.91	6.85	130.43	5.14	104.34	4.11	86.95	3.42	18.78	11.67
11/21	1095.62	43.13	547.81	21.57	273.91	10.78	182.60	7.19	136.95	5.39	109.56	4.31	91.30	3.59	19.72	12.25
11/22	1147.79	45.19	573.90	22.59	286.95	11.30	191.30	7.53	143.47	5.65	114.78	4.52	95.65	3.77	20.66	12.84

(1:1.5 Flexidrive) Seed Spacing / Gear Chart - Adjustable Height Chain Drive Landwheel

19:40 Primary Drive



S6500044